



Reliable Machines
Better Performance

FRUITS & VEGETABLES PULPER MACHINE

High Efficiency | Durable Build | Easy to Operate | Low Maintenance

BUILT FOR PERFORMANCE, DESIGNED FOR RESULTS



ABOUT THE MACHINE

Raghav Fruits & Vegetables Pulper Machine is designed for high performance pulping of fruits and vegetables with maximum juice extraction and minimal wastage.

Ideal for juice, puree, sauce, jam, baby food, and more.



KEY FEATURES

- ✓ Made with premium grade stainless steel
- ✓ Powerful motor for continuous operation
- ✓ High pulp extraction efficiency
- ✓ Easy to clean & maintain
- ✓ Suitable for multiple fruits & vegetables
- ✓ Rust-resistant and long-lasting

AVAILABLE VARIANTS

VARIANT	MOTOR POWER	TANK SIZE (LENGTH)	IDEAL FOR
1	 1/2 HP	16 INCH	Small scale / Home / Startups
2	 1 HP	20 INCH	Small scale industries
3	 2 HP	24 INCH	Medium scale industries
4	 3 HP	36 INCH	Commercial production
5	 5 HP	36 INCH	Large scale industries

PERFECT FOR PULPING A VARIETY OF FRUITS & VEGETABLES



Tomato



Mango



Guava



Pineapple



Apple



Orange



Carrot



Beetroot



Spinach



Bottle Gourd



Ginger



Pumpkin




EMAIL
raghavfoodmachines@gmail.com



PHONE
8796463055



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



PEDAL OPERATED LIQUID FILLING MACHINE

ACCURATE FILLING • EASY OPERATION • HIGH PERFORMANCE

Our Pedal Operated Liquid Filling Machine is designed for efficient and accurate filling of liquids in bottles and jars. Widely used in food, beverage, pharmaceutical, chemical and cosmetic industries.

KEY FEATURES

- Filling Range: 100ml – 1000ml (Adjustable)
- Hopper Capacity: 25 Ltr. at a Time
- Accurate Filling with Minimum Wastage
- Pedal Operated – Easy & Hands Free
- Stainless Steel Hopper (Food Grade)
- Mild Steel Heavy Duty Frame
- Easy to Clean & Maintain
- Suitable for Juices, Water, Oils, Syrups, Milk, Chemicals & more

PERFECT FOR LIQUIDS



JUICE BOTTLES (1 LTR.)



WATER BOTTLES (1 LTR.)



FILLING RANGE
100ml
TO
1000ml
ADJUSTABLE

IDEAL FOR FILLING

- Juices & Beverages
- Packaged Drinking Water
- Milk & Dairy Products
- Oils
- Syrups & Concentrates
- Pharmaceutical Liquids
- Chemicals & More

TECHNICAL SPECIFICATIONS

Model	Pedal Operated Liquid Filling Machine
Filling Range	100ml – 1000ml (Adjustable)
Hopper Capacity	25 Ltr. at a Time
Operation	Pedal Operated
Hopper Material	Stainless Steel (Food Grade)
Frame Material	Mild Steel
Accuracy	± 1% (Approx.)
Suitable For	Liquid, Juice, Water, Oil, Syrup, Milk, Chemicals, etc.
Machine Weight	Approx. 35 – 40 Kg.

HOW IT WORKS



WHY CHOOSE US?

- Accurate & Hygienic Filling
- Simple & Reliable Operation
- Sturdy Construction
- Easy to Clean
- Low Maintenance
- Long Service Life



ACCURATE
FILLING



MINIMUM
WASTAGE



FOOD GRADE
STAINLESS STEEL HOPPER



EASY TO OPERATE
& MAINTAIN



WIDE RANGE
OF APPLICATIONS



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



FRUITS & VEGETABLES CRUSHER MACHINE

— ALSO KNOWN AS FRUITS MILL —

Raghav Fruits & Vegetables Crusher Machine, also known as Fruits Mill, is designed for efficient crushing of fruits and vegetables into fine pulp with maximum output and minimal wastage. Ideal for juice extraction, puree, sauce, jam, baby food, and more.



KEY FEATURES

- ✓ All touching parts made of stainless steel 304
- ✓ Sturdy MS frame for long-lasting durability
- ✓ Powerful motor for high performance
- ✓ High crushing efficiency
- ✓ Easy to clean & maintain
- ✓ Suitable for a wide range of fruits and vegetables



AVAILABLE VARIANTS

VARIANT	MOTOR POWER	CAPACITY	MATERIAL
1	1 HP	100 KG. PER/HR.	All Touching Part Stainless Steel 304
2	2 HP	300 KG. PER/HR.	
3	3 HP	500 KG. PER/HR.	
4	5 HP	1000 KG. PER/HR.	Frame Mild Steel (MS)

PERFECT FOR CRUSHING A VARIETY OF FRUITS & VEGETABLES



Tomato



Mango



Guava



Pineapple



Apple



Orange




Carrot



Beetroot



Spinach



Bottle Gourd



Ginger



Pumpkin



CALL US

8796463055



EMAIL US

raghavfoodmachines@gmail.com



ADDRESS

Pratap vihar , nangloi
new delhi - 110086



HIGH
EFFICIENCY



DURABLE
BUILD



EASY TO
OPERATE



LOW
MAINTENANCE

FRUITS & VEGETABLES DRYER MACHINE

DRY BETTER, STORE LONGER, PRESERVE NUTRITION

Raghav Fruits & Vegetables Dryer Machine is designed for efficient and hygienic drying of a wide variety of fruits and vegetables. It removes moisture uniformly while retaining the natural color, flavor and nutrients of the product.

KEY FEATURES

- ✓ Inner & Outer body made of Mild Steel (MS)
- ✓ Trays made of Stainless Steel 304
- ✓ Digital Temperature Controller for precise control
- ✓ Uniform heat circulation for excellent drying
- ✓ Electric Operated – Easy to use and maintain
- ✓ Strong & sturdy construction for long life
- ✓ Suitable for commercial & industrial use

AVAILABLE VARIANTS

VARIANT	NO. OF TRAYS	CAPACITY (APPROX.)
1	6 TRAY DRYER	6 – 8 KG/BATCH
2	12 TRAY DRYER	12 – 15 KG/BATCH
3	24 TRAY DRYER	25 – 30 KG/BATCH
4	48 TRAY DRYER	50 – 60 KG/BATCH
5	96 TRAY DRYER	100 – 120 KG/BATCH


* Capacity may vary depending on product & moisture content.



PREMIUM
QUALITY
BUILT TO LAST

STAINLESS STEEL TRAYS

Tray Size: 32 x 16 x 1.25 Inch



MACHINE SPECIFICATIONS

⚡	Operation Type	Electric Operated
🔥	Temperature Control	Digital Temperature Controller
🔄	Body Material	Mild Steel (MS) – Inner & Outer
🔧	Tray Material	Stainless Steel 304
📏	Tray Size	32 x 16 x 1.25 Inch
🗑️	Tray Type	Removable
🔌	Power Supply	Single Phase / Three Phase (As per requirement)

IDEAL FOR DRYING




Fruits



Vegetables



Herbs



Spices



Flowers

PERFECT FOR DRYING A VARIETY OF FRUITS & VEGETABLES



GINGER



ONION



TURMERIC




BANANA



MORINGA LEAVES



CHILLI



CORIANDER



JACKFRUIT



Retains Natural
Color, Taste &
Nutrition



Even Drying with
Hot Air Circulation



Safe, Hygienic &
Long Lasting
Performance



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



RAGHAV FOOD MACHINERY COMPANY

PICKLE MIXER

PERFECT MIXING, EVERY TIME

Designed for consistent, uniform & hygienic mixing of a wide range of materials.

ABOUT THE MACHINE

Raghav Pickle Mixer is specially designed for mixing pickles, flours (maida, atta), mashed potatoes, spices, and other dry or semi-wet ingredients efficiently and uniformly.

The machine is made with MS body and SS 304 contact parts, ensuring hygiene, durability, and long life.

KEY FEATURES

- ✓ Contact parts made of Stainless Steel 304
- ✓ MS Body with strong and robust structure
- ✓ Gear Box Driven for efficient performance
- ✓ Tilting type for easy discharge and cleaning
- ✓ Uniform mixing for consistent results
- ✓ Easy to operate and low maintenance
- ✓ Suitable for dry, wet and semi-wet mixing
- ✓ Ideal for commercial & industrial use

TECHNICAL SPECIFICATIONS

✦	Machine Type	Pickle Mixer (Tilting Type)
⚙	Body Material	Mild Steel (MS)
✓	Contact Parts	Stainless Steel 304
⚙	Drive System	Gear Box with Motor
✦	Tilting Mechanism	Manual
✦	Application	Pickle, Flour, Potato, Spices & More
🔄	Usage	Commercial & Industrial


AVAILABLE VARIANTS & CAPACITY

MODEL	CAPACITY (PER BATCH)	MOTOR POWER	MOTOR TYPE
RM - 15	15 KG	1 HP	GEAR BOX DRIVEN MOTOR
RM - 25	25 KG	2 HP	
RM - 50	50 KG	3 HP	
RM - 100	100 KG	3 HP	

APPLICATIONS

- 🥒 Pickle Mixing
- 🍞 Flour (Maida, Atta) Mixing
- 🥔 Potato Masala Mixing
- 🌶 Spices & Seasoning Mixing
- 🥕 Other Dry & Semi-Wet Ingredients

PERFECT FOR PICKLES



MANGO PICKLE




MIXED VEGETABLE PICKLE



LIME PICKLE



GARLIC PICKLE



CHILLI PICKLE


PERFECT FOR MIXING



FLOUR (MAIDA)



FLOUR (ATTA)



POTATO MASALA



SPICES MIX



BESAN (GRAM FLOUR)

WHY CHOOSE US?

- 🛡 Food Grade & Hygienic Construction
- ⚙ Sturdy & Durable Build Quality
- ⚡ High Mixing Efficiency with Less Power Consumption
- 🧽 Easy Cleaning & Maintenance
- ⚙ Trusted by Food Processing Industry



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086





RAGHAV FOOD MACHINERY COMPANY

WALNUT PEELING CUM

WASHING MACHINE

PEEL • WASH • CLEAN

ONE MACHINE. COMPLETE SOLUTION.

Higher Output | Better Quality | Maximum Savings

BUILT
STRONG
BUILT TO LAST

ABOUT THE MACHINE

Raghav Walnut Peeling cum Washing Machine is specially designed to peel and wash green walnuts efficiently. It removes the outer green husk and cleans the nuts thoroughly, saving time, water and labor while ensuring premium quality output. Ideal for commercial and industrial use.



HIGH
EFFICIENCY



STRONG &
DURABLE



THOROUGH
WASHING



EASY TO USE
& MAINTAIN

KEY FEATURES

- ✓ Peeling and washing in one machine
- ✓ Made of heavy duty Mild Steel - long life
- ✓ High capacity with powerful performance
- ✓ Saves water, time and manual labor
- ✓ Easy to operate, clean and maintain
- ✓ Suitable for all types of green walnuts
- ✓ Ideal for commercial & industrial use

TECHNICAL SPECIFICATIONS

Machine Type	Peeling cum Washing Machine
Body Material	Mild Steel (MS)
Motor Type	Electric Motor
Power Supply	Single Phase / Three Phase
Operation	Peeling & Washing
Application	Green Walnuts
Usage	Commercial & Industrial



MACHINE CAPACITY

MODEL	MOTOR POWER	CAPACITY (APPROX.)
RW - 15	1 HP	15 KG. / 5 MINUTES
RW - 25	2 HP	25 KG. / 5 MINUTES
RW - 40	3 HP	40 KG. / 5 MINUTES
RW - 100	5 HP	100 KG. / 5 MINUTES

WORK FLOW

STEP 1

GREEN WALNUTS



STEP 2

PEELING & WASHING
IN MACHINE



STEP 3

CLEAN & PEELED
WALNUTS



FROM GREEN TO CLEAN - PERFECT EVERY TIME



WHY CHOOSE RAGHAV?

- Heavy Duty Construction
- Powerful Motor for High Performance
- Consistent Peeling & Washing
- Energy Efficient & Cost Effective
- Trusted by Food Processing Industry



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



RAGHAV FOOD MACHINERY COMPANY

FRUITS & VEGETABLES BUBBLE WASHER

CLEANER PRODUCE, HEALTHIER LIFE

ABOUT THE MACHINE

Raghav Fruits & Vegetables Bubble Washer Machine is designed to clean fruits and vegetables thoroughly by removing dirt, dust, pesticides and impurities. The air bubble technology with high pressure water shower ensures deep cleaning without damaging the produce. Built with high quality SS 304, it is durable, hygienic and easy to operate. Ideal for commercial and industrial use.

KEY FEATURES

- Air bubble washing with high pressure water shower
- Removes dirt, dust, pesticides and impurities effectively
- Made of premium quality Stainless Steel 304
- Perforated basket for proper water circulation
- Tilting applicable for easy discharge of water
- Easy to operate, clean and maintain
- Energy efficient and hygienic design

TECHNICAL SPECIFICATIONS

Body Material	Stainless Steel 304
Blower Motor	1 HP
Water Pump	1/2 HP
Washing System	Air Bubble + High Pressure Water Shower
Basket	Perforated SS 304
Tilting	Applicable
Operation	Semi Automatic
Power Supply	Single Phase / 230V / 50Hz

MACHINE CAPACITY

MODEL	MOTOR POWER	CAPACITY (APPROX.)
RW - 15	1 HP	15 KG. / 5 MINUTES
RW - 25	2 HP	25 KG. / 5 MINUTES
RW - 40	3 HP	40 KG. / 5 MINUTES
RW - 100	5 HP	100 KG. / 5 MINUTES

SIZE OPTIONS

Available in 2 Standard Sizes


MODEL	LENGTH	WIDTH	HEIGHT
Compact Model	4 FT	2 FT	2.5 FT
Large Model	4 FT	4 FT	2.5 FT

(Custom sizes available on request)

WHY CHOOSE RAGHAV?

- Thorough cleaning with bubble technology
- High quality SS 304 for long life
- Saves water and time
- Gentle on produce, keeps it fresh
- Ideal for commercial & industrial use

WORKING PROCESS



IDEAL FOR CLEANING A WIDE RANGE OF PRODUCE



LEAFY VEGETABLES



CARROTS



BELL PEPPERS



TOMATOES



APPLES



GRAPES



CUCUMBERS



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar, nangloi
new delhi - 110086



QUALITY YOU CAN TRUST

RAGHAV FOOD MACHINERY COMPANY

RETORT MACHINE

SAFE PRESERVATION, LONGER SHELF LIFE

ELECTRIC | GAS | STEAM OPERATED



SAFE & RELIABLE



HIGH PRESSURE STERILIZATION



BETTER QUALITY & LONGER LIFE



ABOUT THE MACHINE



Raghav Retort Machine is designed for thermal sterilization of sealed canned products. It ensures the destruction of harmful microorganisms and extends the shelf life without using any preservatives. Ideal for commercial and industrial food processing units.

KEY FEATURES



- ✔ Suitable for all types of product retort
- ✔ Inner & Outer body made of Mild Steel
- ✔ SS Basket for better strength & hygiene
- ✔ Equipped with Pressure Gauge & Safety Valve
- ✔ Electric, Gas & Steam Operated
- ✔ Uniform heat distribution for effective sterilization
- ✔ Easy to operate, safe & energy efficient
- ✔ Available in multiple capacities
- ✔ Ideal for commercial & industrial use

TECHNICAL SPECIFICATIONS



	Operation Type	Electric / Gas / Steam
	Body Material	Mild Steel (Inner & Outer)
	Basket Material	Stainless Steel (SS)
	Type	Vertical Retort
	Pressure Range	0 - 1.2 kg/cm ² (Adjustable)
	Temperature Range	Up to 121°C
	Safety Features	Pressure Gauge, Safety Valve, Over Pressure Protection
	Usage	Food Retort Sterilization
	Application	Cans (Heat Resistant)

AVAILABLE SIZES

- ▶ 60 LTR.
- ▶ 120 LTR.
- ▶ 300 LTR.
- ▶ 500 LTR.
- ▶ ETC.

CUSTOMIZED SIZES AVAILABLE

WORKING PROCESS



STEP 3 COOLING SETUP

Sealed cans are immersed in cold water inside the cement cooling tank boundary for quick and safe cooling.



SUITABLE FOR ALL TYPE OF PRODUCTS



IDEAL FOR CANNED PRODUCTS



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar, nangloi
new delhi - 110086

HYDRAULIC JUICE PRESS MACHINE

POWERFUL PRESSURE, MAXIMUM YIELD

EXTRACT MORE. WASTE LESS.
Pure Juice, Pure Profit.



HIGH PRESSURE
TECHNOLOGY



HEAVY DUTY
BUILD



EASY TO
OPERATE



MAXIMUM JUICE
EXTRACTION

ABOUT THE MACHINE

Hydraulic Juice Press Machine is designed to extract maximum juice from fruits & vegetables with high pressure hydraulic system. It is strong, durable and easy to operate, ideal for commercial use in juice bars, farms, food industries and more.

TECHNICAL SPECIFICATIONS

Machine Type	Hydraulic Juice Press
Material	Mild Steel (MS)
Crates	Stainless Steel (SS)
Racks	Wooden
Motor Power	2 HP / 3 HP / 5 HP
Operation	Hydraulic (Manual)
Pressure Indicator	Yes (Pressure Meter)
Usage	Juice Extraction from Fruits & Vegetables

AVAILABLE SIZES

MODEL	MOTOR POWER
RFP - 20	2 HP
RFP - 30	3 HP
RFP - 50	5 HP

HOW IT WORKS


- 1



CRUSH THE FRUITS
Fruits or vegetables are crushed and placed in SS crate.
- 2



PRESSURE APPLIED
Hydraulic system applies high pressure to squeeze out maximum juice.
- 3



PURE JUICE COLLECTED
Extracted juice flows out through the outlet.

SUITABLE FOR ALL KINDS OF FRUITS & VEGETABLES



IDEAL FOR

- ✓ Juice Bars & Restaurants
- ✓ Farms & Agriculture
- ✓ Food & Beverage Industry
- ✓ Commercial Juice Production

WOOD FIRED BOILER

POWERFUL HEAT. RELIABLE PERFORMANCE.
BUILT TO PERFORM. BUILT TO LAST.

MULTI FUEL OPERATION



HIGH EFFICIENCY • SAFE OPERATION • LONG LIFE

ABOUT THE BOILER

Raghav Wood Fired Boiler is a vertical, multi-fuel boiler designed for high efficiency and durability. It is suitable for various industrial applications including food processing, dairy, textile, chemicals and more. Built with strong Mild Steel construction and advanced safety features for reliable and continuous performance.

SAFETY WARNING

- High Temperature
- High Pressure
- Use Trained Operator Only
- Do Not Open While In Operation
- Follow Safety Instructions
- Wear Protective Gear

KEY FEATURES

- Multi fuel operation - Wood, Coal, Gas & Electric
- Vertical design - Saves space & easy installation
- Non IBR Retort Type - Safe & efficient
- High heat transfer efficiency
- Durable Mild Steel construction
- Pressure Gauge & Safety Valve for maximum safety
- Easy to clean and maintain
- Suitable for continuous industrial use

AVAILABLE SIZES (APPROX.)

MODEL	STEAM CAPACITY (KG/Hr)
RB - 100	100
RB - 200	200
RB - 300	300
RB - 500	500
RB - 750	750
RB - 1000	1000

CUSTOMIZED SIZES AVAILABLE

APPLICATIONS



WORKING PROCESS



-  **HEAVY DUTY CONSTRUCTION**
-  **HIGH THERMAL EFFICIENCY**
-  **MULTI FUEL OPERATION**
-  **LOW MAINTENANCE**
-  **EASY TO OPERATE**
-  **SAFE & RELIABLE**

TECHNICAL SPECIFICATIONS

 Boiler Type	Vertical, Non IBR Retort
 Construction Material	Mild Steel (MS)
 Operation	Wood / Coal / Gas / Electric
 Working Pressure	Up to 7 kg/cm ²
 Steam Capacity	As per requirement
 Safety Features	Pressure Gauge, Safety Valve, Water Level Indicator
 Application	Steam Generation for Industrial Use
 Mounting	Vertical
 Fuel Feeding	Manual (Wood / Coal) / Burner (Gas / Electric)

SAFETY FIRST YOUR SAFETY, OUR PRIORITY

- 

WEAR HELMET
- 

WEAR GLOVES
- 

WEAR GOOGLES
- 

WEAR SAFETY SHOES

REGULAR INSPECTION & MAINTENANCE
ENSURES SAFE & EFFICIENT OPERATION

HAND OPERATED ELECTRIC FOIL SEALING MACHINE

RELIABLE SEALING FOR PET JARS & BOTTLES

Perfect Seal. Longer Shelf Life.
Better Protection. More Trust.

-  PRECISE TEMPERATURE CONTROL
-  STRONG & DURABLE BUILD
-  EASY TO OPERATE
-  SAFE & RELIABLE SEALING
-  LOW POWER CONSUMPTION

SUITABLE FOR PET PLASTIC JARS & BOTTLES ONLY
⚠️ NOT RECOMMENDED FOR GLASS CONTAINERS ⚠️

PERFECT SEAL
EVERY TIME

IDEAL FOR PET CONTAINERS

PET PICKLE JARS



PET BOTTLES & CONTAINERS



TECHNICAL SPECIFICATIONS

Machine Type	Hand Operated Electric Foil Sealing Machine
Operation	Manual (Hand Lever)
Sealing Type	Induction Foil Sealing
Control	Analog Temperature Controller
Temperature Range	0°C - 250°C (Adjustable)
Sealing Diameter	20mm - 100mm (Adjustable)
Power Supply	220V AC, 50Hz
Power Consumption	500W
Machine Body	Mild Steel (MS) with Powder Coating
Weight	Approx. 12 Kg
Dimensions (L x W x H)	250 x 250 x 550 mm (Approx.)

KEY FEATURES

- ✓ Hand operated lever system for easy & effortless sealing
- ✓ Adjustable temperature controller for perfect sealing
- ✓ Fast heating & consistent sealing performance
- ✓ Suitable for different PET jar & bottle sizes
- ✓ Compact, lightweight & user friendly design
- ✓ Heavy duty construction for long life
- ✓ Low power consumption & energy efficient

HOW IT WORKS

- Place the PET jar/bottle with foil on the sealing platform.
- Pull down the lever gently.
- Foil is sealed perfectly.
- Sealed jar/bottle is ready for use.



BENEFITS

-  AIRTIGHT SEAL
-  LEAK PROOF
-  PRESERVES FRESHNESS
-  EXTENDS SHELF LIFE
-  IMPROVES PRODUCT VALUE

COMPATIBLE FOIL SEALS

-  Induction Foil Seals
-  Heat Induction Seals
-  Alu-Foil Seals

WIDE RANGE OF APPLICATIONS

-  PICKLE INDUSTRY
-  EDIBLE OIL PACKAGING
-  SPICE PACKAGING
-  DRY FRUIT PACKAGING
-  FOOD PROCESSING UNITS
-  RETAIL PACKAGING CENTERS



QUALITY YOU CAN TRUST

RAGHAV FOOD MACHINERY COMPANY

CONTINUOUS BAND SEALER

HORIZONTAL TYPE (VERTICAL OPTION AVAILABLE)

STRONG SEAL. SMOOTH FLOW. MAXIMUM OUTPUT.



CONTINUOUS SEALING



HIGH SPEED CONVEYOR



PRECISE TEMPERATURE CONTROL



STRONG & AIRTIGHT SEAL



EFFICIENT & RELIABLE



NITROGEN FLUSH SYSTEM AVAILABLE



VERTICAL MODEL ALSO AVAILABLE

ABOUT THE MACHINE

Continuous Band Sealer is designed to seal all types of thermo-sealable pouches continuously and efficiently. It ensures strong, uniform sealing with high speed conveyor for smooth operations. Ideal for food, spices, pulses, agro, chemical, and various other industries.

KEY FEATURES

- Heavy duty construction for long life
- Digital temperature controller for accurate sealing
- Adjustable sealing speed
- Horizontal & vertical sealing options
- Nitrogen flushing system for longer shelf life
- Suitable for different pouch materials
- User friendly operation & low maintenance

TECHNICAL SPECIFICATIONS


Model	RFP-BS900 (Horizontal)
Sealing Type	Continuous Band Sealing
Sealing Width	6 – 12 mm (Adjustable)
Temperature Range	0 – 300°C (Adjustable)
Sealing Speed	0 – 12 m/min (Adjustable)
Conveyor Load	Max. 5 kg
Conveyor Width	150 mm
Power Supply	220V / 50Hz
Power Consumption	500W
Machine Dimension (LxWxH)	960 x 420 x 360 mm
Machine Weight	Approx. 28 kg

IDEAL FOR INDUSTRIES


- FOOD PROCESSING
- SPICE PROCESSING
- AGRO & PULSES
- CHEMICALS
- PHARMACEUTICALS
- DAIRY PRODUCTS
- DRY FRUITS & NUTS
- INDUSTRIAL PRODUCTS

PERFECT SEALING FOR EVERY PACK


1 KG



500 GM



200 GM



STRONG & AIRTIGHT SEAL



PROTECTS FROM DUST & MOISTURE



LONGER SHELF LIFE OF PRODUCT



IMPROVES PACKAGING QUALITY



TAMPER PROOF SEALING

OPTIONAL FEATURES

- Nitrogen Flushing System
- Date Coding Machine
- Embossing Device
- Cooling Fan
- Stainless Steel Body
- Variable Speed Control
- Wider Conveyor

SUITABLE POUCH TYPES



PLAIN POUCH



PRINTED POUCH



GUSSET POUCH



STAND-UP POUCH



ALUMINUM FOIL POUCH

SUITABLE FOR ALL KINDS OF PRODUCTS



SPICES



PULSES



GRAINS



RICE



TEA & COFFEE



DRY FRUITS



POWDERS



SNACKS



CALL US
+91 8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



MADE OF
FULLY SS 304
FOOD GRADE



GAS & ELECTRIC
OPERATION
AVAILABLE

STEAM JACKET KETTLE TILTING TYPE

PREMIUM QUALITY • MAXIMUM PERFORMANCE

Our Steam Jacket Kettle is designed for fast, uniform heating and efficient cooking. Ideal for a wide range of food preparation in commercial kitchens and food processing industries.

KEY FEATURES

- ✓ Made of Fully SS 304 Food Grade Material
- ✓ Steam Jacket for Uniform & Efficient Heating
- ✓ Tilting Type for Easy Discharge
- ✓ Suitable for Gas & Electric Operation
- ✓ High Thermal Efficiency & Fuel Saving
- ✓ Strong & Durable Construction
- ✓ Easy to Operate & Clean
- ✓ Suitable for All Types of Food Products
- ✓ Hygienic, Safe & Long Lasting




IDEAL FOR COOKING A WIDE RANGE OF PRODUCTS




SAUCE



KETCHUP



TOMATO



DAAL



RICE



GUAVA PULP



VEGETABLES

AVAILABLE SIZES



Customized sizes available
as per requirement

50 LTR.

100 LTR.

250 LTR.

500 LTR.

1000 LTR.



TECHNICAL SPECIFICATION



Material	SS 304 Food Grade
Type	Tilting Type
Jacket	Steam Jacket (Double Wall)
Operation	Gas / Electric (Both Available)
Heating	Uniform & Efficient
Tilting	Manual Tilting with Hand Wheel
Finishing	Mirror Finish
Application	Cooking, Boiling, Mixing & More



UNIFORM HEATING
SAVES TIME & FUEL



HYGIENIC &
FOOD SAFE



EASY TO TILT
& DISCHARGE



DURABLE &
CORROSION RESISTANT



LOW MAINTENANCE
& LONG LIFE

SUITABLE FOR



FOOD FACTORIES



GURUDWARAS



MID DAY MEAL
PROGRAMS



HOME BHANDARA



CATERERS



HOTELS &
RESTAURANTS

PERFECT FOR PREPARING A WIDE VARIETY OF RECIPES – HEALTHY, HYGIENIC & DELICIOUS!



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086

IDEAL FOR FRUITS & VEGETABLES • SOUPS & SAUCES • DAAL & RICE • KETCHUP & PULP • SWEETS & MUCH MORE

PULVERIZER MACHINE

POWERFUL GRINDING, PERFECT RESULTS!

STRONG • DURABLE • HYGIENIC • EFFICIENT

Our Pulverizer Machine is designed to deliver super fine grinding of all types of spices, grains and herbs. Made of premium stainless steel for long life, high performance & food safety.

KEY FEATURES

- ✓ Made of Fully Stainless Steel SS 304
- ✓ High Speed & High Efficiency Grinding
- ✓ Suitable for Spices, Grains, Herbs & More
- ✓ Available in Single Chamber
- ✓ Powerful Copper Winding Motor
- ✓ Easy to Operate & Maintain
- ✓ Mirror Finish Body for Elegant Look
- ✓ Food Grade, Hygienic & Rust Proof
- ✓ Low Noise & Vibration
- ✓ Long Life & Energy Efficient

GRIND ALL TYPES OF SPICES & MORE

RED CHILLI



CHILLI POWDER

CORIANDER



CORIANDER POWDER

PULSE / DAL



DAL POWDER

TURMERIC



TURMERIC POWDER

DRY GINGER



GINGER POWDER

DRY MORINGA LEAVES



MORINGA POWDER

WHEAT / FLOUR



FLOUR

BLACK PEPPER



PEPPER POWDER

AVAILABLE MODEL

SINGLE CHAMBER



POWER OPTIONS

Available in following motor power options:

- ⚡ 2 HP
- ⚡ 3 HP
- ⚡ 5 HP
- ⚡ 7.5 HP
- ⚡ 10 HP


SPECIFICATIONS

Body Material	SS 304 Stainless Steel
Chamber Type	Single Chamber
Motor Power	2 HP / 3 HP / 5 HP / 7.5 HP / 10 HP
Voltage	220V / 50Hz (Single Phase) 440V / 50Hz (Three Phase)
Grinding Capacity	10 - 100 kg/hr (Approx.)
Speed	2800 RPM (Approx.)
Mesh Size	60 - 300 Mesh (Approx.)
Application	Spices, Grains, Pulses, Herbs, Dry Leaves & More

SUITABLE FOR




HOME USE



FOOD FACTORIES




RESTAURANTS




SPICE BUSINESS



HOTELS




CATERERS



FINE & UNIFORM GRINDING




HIGH SPEED PERFORMANCE




100% FOOD GRADE MATERIAL



EASY TO CLEAN & MAINTAIN



DURABLE & LONG LASTING



SAVES TIME & LABOUR

CALL US
+91 8796463055

EMAIL US
raghavfoodmachines@gmail.com

ADDRESS
Pratap vihar, nangloi
new delhi - 110086

GRIND BETTER. LIVE BETTER. CHOOSE RAGHAV PULVERIZER MACHINE!



CROWN CORKING MACHINE

RELIABLE MANUAL SEALING FOR GLASS BOTTLES

Simple to Operate • Strong & Durable • Perfect Seal

KEY FEATURES

-  Suitable for glass bottles only
-  Manual hand-operated crown sealing
-  Magnet cork system for secure cap holding
-  Adjustable height for different bottle sizes
-  Strong & durable construction
-  Easy operation & low maintenance
-  Rust-resistant & long-lasting body
-  Perfect sealing for sauce & beverage bottles

CROWN CAPS (MAGNET CORK)



Strong Grip • Rust Proof • Perfect Seal

MAGNET CORK FOR SECURE HOLD



Holds the crown cap firmly in place for accurate sealing.

SUITABLE FOR GLASS BOTTLES ONLY



SAUCE BOTTLE



JUICE BOTTLE



WINE BOTTLE




BEER BOTTLE

SIMPLE MANUAL OPERATION



1

Place the crown cap on bottle



2

Pull the lever down



3

Perfectly sealed bottle

IDEAL FOR



SAUCE BOTTLING



JUICE BOTTLING



WINE BOTTLING



BEVERAGE INDUSTRY



RESTAURANTS & CAFES



HOME BASED BUSINESSES



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086

100% TIGHT CROWN SEALING • NO LEAKAGE • PROFESSIONAL BOTTLING FINISH



EXHAUST BOX

FOR CANNING LINE

REMOVES ENTRAPPED AIR BEFORE SEAMING

Exhaust Box is used for exhausting air from filled cans before seaming. It uses steam to heat the product and ensures removal of entrapped air for better seam quality and longer shelf life.

KEY FEATURES

-  Made of Fully Stainless Steel SS 304
-  Suitable to exhaust entrapped air in product/cans before final seaming
-  Uses steam to heat up the product and ensure exhausting of entrapped air
-  Speed can be adjusted
-  Easy to install and maintain
-  Strong, durable and hygienic design
-  Improves seam quality and prevents can buckling

HOW IT WORKS

- 

Filled cans enter the exhaust box.
- 

Steam is introduced to heat the product and expand the entrapped air.
- 

Entrapped air is exhausted, ensuring perfect vacuum before final seaming.

SPECIFICATIONS

Material	: Stainless Steel 304
Heating Medium	: Steam
Speed	: Adjustable
Application	: For exhausting air from filled cans before seaming
Suitable For	: All types of round cans

SUITABLE FOR



All types of round cans used in food, beverage, dairy & other industries.



MADE OF
SS 304
STAINLESS STEEL



STEAM HEATING
TECHNOLOGY



REMOVES ENTRAPPED
AIR EFFECTIVELY



HYGIENIC &
DURABLE DESIGN



EASY TO INSTALL
& MAINTAIN

CANS INSIDE THE MACHINE



STEAM IN ACTION



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



PLANETARY MIXER

CAKE MIXER | THREE SPEED MIXER

A planetary mixer is a type of mixer used in food preparation to make doughs and pastes. The name “planetary” refers to the way the blades of the mixer rotate around a central point. Most planetary mixers have two or three blades rotating in different directions as they whip, knead, and mix ingredients.

KEY FEATURES

-  Sturdy MS Frame for Long Lasting Durability
-  High Quality Stainless Steel Bowl
-  Three Speed Operation for Versatile Mixing
-  Planetary Motion for Even and Consistent Mixing
-  Powerful Motor for Heavy Duty Performance
-  Easy to Operate and Maintain
-  Ideal for Bakery, Hotels, Restaurants and Food Industries

PERFECT FOR



Kneading Dough



Whipping Cream



Mixing Batter



Mixing Paste

AVAILABLE SIZES



TECHNICAL SPECIFICATIONS

Frame Material	Mild Steel (MS)	Operation	Planetary
Bowl Material	Stainless Steel	Application	Cake, Dough, Cream, Batter, Paste
Speed	Three Speed	Used In	Bakery, Hotels, Restaurants & Food Industries



MIXER ACTION



Planetary motion ensures that the beater rotates around its axis while moving around the bowl, ensuring thorough and uniform mixing.

PLANETARY MOTION



 CALL US
8796463055

 EMAIL US
raghavfoodmachines@gmail.com

 ADDRESS
Pratap vihar , nangloi
new delhi - 110086



POTATO, GINGER & TURMERIC PEELER CUM WASHER MACHINE

BUILT FOR HIGH PERFORMANCE & HYGIENE

Potato tumblers work by rapidly spinning potatoes and water in a large abrasive-lined drum, a combination that quickly peels and washes the potatoes ready for cooking or further prep.



POTATO



GINGER



TURMERIC

KEY FEATURES

- Made of Fully Stainless Steel 304
- High Efficiency Peeling & Washing
- Abrasive Lined Drum for Uniform Peeling
- Easy to Operate and Maintain
- Powerful Motor for Continuous Operation
- Hygienic Design, Rust Proof & Durable
- Suitable for Potato, Ginger & Turmeric



AVAILABLE CAPACITY & MOTOR POWER

CAPACITY (Per 5 Minutes)	MOTOR POWER
15 KG.	1 HP
25 KG.	2 HP
40 KG.	3 HP
100 KG.	5 HP

PEELING & WASHING RESULTS

POTATO



BEFORE

AFTER

GINGER



BEFORE

AFTER

TURMERIC



BEFORE

AFTER

TECHNICAL SPECIFICATIONS

Material	Stainless Steel 304
Drum Type	Abrasive Lined Drum
Operation	Peeling cum Washing
Capacity (Per 5 Minutes)	15kg / 25kg / 40kg / 100kg
Motor Power	1 HP / 2 HP / 3 HP / 5 HP
Power Supply	220V / 380V (3 Phase)
Body	Fully Stainless Steel 304
Application	Potato, Ginger, Turmeric Peeling & Washing

WHY CHOOSE OUR MACHINE?

- Saves Time, Labor & Water
- Consistent Peeling with Minimum Wastage
- Robust Construction for Long Life
- Ideal for Hotels, Restaurants, Canteens, Food Processing Units & Industries



PREMIUM QUALITY



HIGH EFFICIENCY



HYGIENIC & SAFE



RUST PROOF



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086

STRONG • HYGIENIC • EFFICIENT • DURABLE




SCREW TYPE JUICER MACHINE

FRESH JUICE, MAXIMUM NUTRITION

POWERFUL PERFORMANCE

PURE & FRESH JUICE EVERY TIME

Screw type juicer machine is ideal for extracting juice from fruits like Pineapple, Orange, Mosambi (Sweet Lime) and other soft fruits with high efficiency and minimum wastage.



PINEAPPLE



ORANGE



MOSAMBI (SWEET LIME)



KEY FEATURES

- High Juice Extraction Efficiency
- Screw Type Pressing for Maximum Yield
- Powerful 0.75 HP Motor (1 Phase)
- Durable Cast Iron Body for Long Life
- Easy to Operate & Maintain
- Low Noise & Energy Efficient
- Suitable for Pineapple, Orange, Mosambi & More
- Hygienic & Food Grade Construction

JUICE EXTRACTION IN ACTION



FRUITS INSERTED



PRESSING IN ACTION



FRESH JUICE OUT

TECHNICAL SPECIFICATIONS

Model	Screw Type Juicer Machine
Motor Power	0.75 HP (1 Phase)
Body Material	Cast Iron
Juicing Mechanism	Screw Type Pressing
Applications	Pineapple, Orange, Mosambi (Sweet Lime) & Other Soft Fruits
Juice Output	High Efficiency with Minimum Wastage
Power Supply	220V / 50Hz (1 Phase)
Weight (Approx.)	25 – 30 Kg (Approx.)

FRESH & NATURAL JUICE



PINEAPPLE JUICE



ORANGE JUICE




MOSAMBI JUICE

SUITABLE FOR



PINEAPPLE



ORANGE (PEELED)



MOSAMBI (SWEET LIME)



OTHER CITRUS FRUITS

WHY CHOOSE OUR JUICER?



MAXIMUM JUICE YIELD



DURABLE & RELIABLE



EASY TO CLEAN



ENERGY EFFICIENT



IDEAL FOR HOME & COMMERCIAL USE



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



ELECTRIC & MANUAL JUICE EXTRACTOR

POWERFUL • EFFICIENT • DURABLE

FRESH JUICE, HEALTHY LIFE



POWERFUL
PERFORMANCE



MAXIMUM JUICE
MAXIMUM NUTRITION

This Electric & Manual Juice Extractor is designed to extract maximum juice from fruits like Orange, Mosambi, Pineapple and more. Built with a strong Aluminum body and powered by a 0.25 HP motor (1 Phase), it ensures high efficiency, easy operation and long life.

KEY FEATURES

- Electric & Manual Operation
- Powerful 0.25 HP Motor (1 Phase)
- High Juice Extraction Efficiency
- Durable Aluminum Body
- Easy to Operate & Maintain
- Compact, Portable & User Friendly
- Suitable for Orange, Mosambi, Pineapple & More



EASY TO OPERATE



1. PUT FRUITS

2. ROTATE HANDLE
OR SWITCH ON

3. FRESH JUICE OUT

FRESH & NATURAL JUICE



ORANGE JUICE



PINEAPPLE JUICE

TECHNICAL SPECIFICATIONS

Model	BLC-80
Type	Electric & Manual Juice Extractor
Body Material	Aluminum
Motor Power	0.25 HP (1 Phase)
Motor Speed	1440 RPM
Operation	Electric Motor / Manual Handle
Suitable For	Orange, Mosambi (Sweet Lime), Pineapple & Other Soft Fruits
Power Supply	220V / 50Hz (1 Phase)
Juice Output	High Efficiency
Weight (Approx.)	12 - 14 Kg (Approx.)

SUITABLE FOR



ORANGE
(PEELED)



MOSAMBI
(SWEET LIME)




PINEAPPLE



OTHER CITRUS
FRUITS

IN ACTION



MAXIMUM
JUICE YIELD



STRONG &
DURABLE



ENERGY
EFFICIENT



EASY TO USE
& CLEAN



COMPACT &
PORTABLE



IDEAL FOR HOME
& COMMERCIAL USE



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



VIBRATOR SHIFTER MACHINE

EFFICIENT SCREENING • ACCURATE GRADING • HIGH PERFORMANCE



STRONG
DURABLE
RELIABLE



BUILT FOR
PERFORMANCE

Our Vibrator Shifter Machine is designed for efficient separation and grading of dry grains, pulses, and seeds. It ensures uniform sizing, removes impurities, and improves product quality. Ideal for industries requiring high capacity, low maintenance, and consistent output.

KEY FEATURES

- 4 ft x 2 ft Screening Area
- 1 HP Motor (1 Phase)
- 3 Type Grading System
- High Efficiency & Accurate Separation
- Sturdy Mild Steel Construction
- Low Noise, Low Maintenance
- Custom Size Available as per Requirement



SIZE
4' x 2'
(CUSTOM SIZE
AVAILABLE)

3 TYPE GRADING SYSTEM



WHEAT




RICE



DAAL / PULSES




SUITABLE FOR




WHEAT




RICE




CHANA DAAL




ARHAR DAAL




MOONG DAAL



MASOOR DAAL



SOYABEAN



MAIZE / CORN

TECHNICAL SPECIFICATIONS

Model	Vibrator Shifter Machine
Screen Size	4 ft x 2 ft (1220 mm x 610 mm)
Motor Power	1 HP (1 Phase)
Grading System	3 Type (Coarse, Medium, Fine)
Body Material	Mild Steel
Capacity	Up to 300 – 500 kg/hr* (Depends on Material)
Vibration Type	Eccentric Shaft Driven
Power Supply	220V / 50Hz (1 Phase)
Application	Grains, Pulses, Seeds, Spices, Food & Non-Food Materials
Customization	Custom Size Available

APPLICATIONS



FOOD PROCESSING
INDUSTRIES



RICE MILLS



FLOUR MILLS



PULSE PROCESSING
UNITS



SPICE PROCESSING
UNITS



CHEMICAL
INDUSTRIES

WHY CHOOSE OUR SHIFTER MACHINE?



High Output
Capacity



Accurate &
Uniform Grading



Durable &
Long Lasting



Energy
Efficient



Easy To Operate
& Maintain



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



PENAUMATIC MS LUG CAPPING MACHINE

EFFICIENT • DURABLE • EASY TO OPERATE



SUITABLE FOR
ALL SIZES
OF BOTTLES



Our Penaumatic MS Lug Capping Machine is designed to seal all types of bottles with lug caps quickly and securely. It is compressor and pedal operated, ensuring a tight seal for products like Honey, Gems, Pickles, Spices, Chemicals, and more.

KEY FEATURES

- Penaumatic Operation – Powered by Air Compressor
- Pedal Operated – Hands-free Easy Operation
- Strong MS Body – Durable & Long Lasting
- Adjustable Capping Pressure
- Suitable for All Sizes of Bottles
- High Speed, High Efficiency
- Low Maintenance & Easy to Clean
- Tight & Leak-proof Capping



AIR PRESSURE
REGULATOR



STRONG CAPPING
HEAD



PEDAL
OPERATED

SUITABLE FOR VARIOUS PRODUCTS



HONEY



GEMS / CANDIES



PICKLES



SPICES



CHEMICALS



SAUCES



COSMETICS

SAMBLE CAPPED BOTTLES



TECHNICAL SPECIFICATIONS

Machine Type	Penaumatic MS Lug Capping Machine
Operation	Pedal Operated
Power Source	Air Compressor
Body Material	Mild Steel (MS)
Cap Type	Lug Cap (Screw Type)
Suitable Bottle Sizes	All Sizes (Customizable)
Capping Speed	15 – 25 Bottles Per Minute (Depends on Operator & Bottle Size)
Air Pressure Required	4 – 6 Kg/cm ²
Dimensions (Approx.)	450mm (L) x 300mm (W) x 700mm (H)
Weight (Approx.)	25 – 30 Kg

HOW IT WORKS



PLACE BOTTLE
ON BASE



PRESS THE
PEDAL



CAPPING HEAD
PRESSES THE CAP



TIGHT & SECURE
CAPPING



REMOVE THE
BOTTLE

WHY CHOOSE OUR MACHINE?

- ✓ Easy to Operate
- ✓ Saves Time & Labor
- ✓ Consistent Capping Quality
- ✓ Industrial Grade Performance
- ✓ Customizable for Different Bottle Sizes



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



TABLE TOP CAN SEALING MACHINE

0.75 HP
MOTOR

SINGLE
PHASE

TIN & PLASTIC CAN SEALING MACHINE

STRONG SEAL • EASY OPERATION • HIGH PERFORMANCE

Our Table Top Can Sealing Machine is designed to seal both Tin Cans and Plastic Cans with high efficiency and uniform sealing. It is widely used in food, beverage, pharmaceutical, chemical and other industries.

KEY FEATURES

- Seals both Tin & Plastic Cans
- Strong Mild Steel Body Structure
- 0.75 HP Motor – High Performance
- Pedal Operated – Easy & Safe
- Adjustable Sealing Height
- High Quality Sealing Rollers
- Sealing Speed: 5 – 10 Cans Per Minute
- Suitable for All Sizes of Cans
- Low Maintenance & Long Life

CAN SUPPORT
(ADJUSTABLE)

Placed below the sealing
nozzle to hold the can
firmly during sealing.



PEDAL OPERATED

TIN CANS (EXAMPLES)



HOW IT WORKS



1 Place the can under
the sealing nozzle.



2 Press the pedal to
start the sealing
process.



3 Machine seals the can
tightly and uniformly.




4 Remove the sealed
can. It's ready!

SPECIFICATIONS

Model	Table Top Can Sealing Machine
Sealing Type	Tin & Plastic Cans
Motor Power	0.75 HP
Power Supply	220V, 50Hz (Single Phase)
Sealing Speed	5 – 10 Cans Per Minute
Sealing Diameter	50mm – 153mm (Adjustable)
Sealing Height	50mm – 200mm (Adjustable)
Body Material	Mild Steel
Machine Weight	Approx. 40 Kg.
Operation	Pedal Operated
Application	Food, Beverage, Pharma, Chemical, Cosmetic, etc.

IDEAL FOR



Food & Beverage
Industry



Pharmaceutical
Industry



Chemical
Industry



Cosmetic
Industry



HIGH QUALITY
SEALING



STRONG & DURABLE
CONSTRUCTION



EASY TO OPERATE
& MAINTAIN



WIDE RANGE OF
APPLICATIONS



COMPACT DESIGN
& SPACE SAVING



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



AUTOMATIC CONVEYOR WASHER

POWERFUL CLEANING. SUPERIOR HYGIENE.

ENGINEERED FOR EFFICIENCY. DESIGNED FOR EXCELLENCE.



FOOD-GRADE
STAINLESS STEEL



HIGH PRESSURE
SPRAY WASH



HIGH CAPACITY
PERFORMANCE



EASY TO CLEAN
& MAINTAIN



MOBILE
DESIGN

Our Automatic Conveyor Washer is a reliable and efficient solution for washing a wide variety of fruits and vegetables. Built with premium stainless steel and advanced cleaning technology, it ensures thorough cleaning, reduces manual labor, and enhances overall productivity.

KEY FEATURES



Dual-Action Cleaning System:

Features an immersion soaking tank for primary debris loosening, followed by an inclined high-pressure overhead spray manifold for a pristine final rinse.



Premium Stainless Steel Construction:

Built entirely with heavy-duty, food-grade stainless steel panels for maximum durability, corrosion resistance, and effortless sanitization.



Modular Cleated Conveyor Belt:

Equipped with a high-durability, food-safe blue modular belt. The integrated flights (cleats) ensure positive product movement up the incline without slippage.



Precision Spray Manifold:

Outfitted with an array of strategically positioned high-pressure brass nozzles that deliver uniform spray coverage to clean every angle of the product.



Mobile & Adaptable Design:

Mounted on heavy-duty, lockable caster wheels, allowing for easy relocation and seamless integration into existing production lines.




TECHNICAL SPECIFICATIONS

Tank Size	5 x 3 x 3 Feet
Conveyor Size	6 x 3 Feet
Washing Capacity	500 – 1000 kg. per/hr.
Air Blower Motor	1 HP (Single Phase)
Water Pump	1/2 HP (Single Phase)
Conveyor Motor	1 HP with Gear Box
Construction Material	Stainless Steel (Food Grade)
Conveyor Belt	Food Grade Blue Modular Belt
Power Supply	220V / 50Hz / 1 Phase
Mobility	Heavy Duty Lockable Caster Wheels
Application	Fruits, Vegetables & Leafy Greens

IDEAL FOR WASHING



FRUITS



LEAFY GREENS



VEGETABLES




ROOT VEGETABLES



CRUCIFEROUS VEGETABLES

HOW IT WORKS



1 LOAD / SOAK

Products enter the spacious main tank where air/soak assists in lifting & out of the tank along the incline.




2 CONVEY & LIFT

The cleated conveyor belt lifts the products towards the high-pressure spray section.



3 HIGH-PRESSURE RINSE

High-pressure spray nozzles remove dirt, pesticides and residues with uniform coverage.



4 DISCHARGE

Cleaned products are discharged and ready for the next phase of processing.



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



MASALA COATING PAN

PERFECT COATING. EVERY TIME.

CONSISTENT FLAVOR • PREMIUM QUALITY • MAXIMUM HYGIENE



FOOD GRADE
STAINLESS STEEL



UNIFORM
COATING



EASY TO
CLEAN



DURABLE &
RELIABLE



LOW POWER
CONSUMPTION

Our Masala Coating Pan is designed to deliver perfect seasoning and flavor to a wide range of snacks. The rotating drum ensures uniform coating with minimal oil and masala loss, enhancing taste, texture, and shelf life.

KEY FEATURES



UNIFORM SEASONING DISTRIBUTION

The optimized angular tilt of the rotating drum ensures a continuous, gentle tumbling action, coating every piece evenly without breaking fragile snacks.



PREMIUM STAINLESS STEEL CONSTRUCTION

Built with a high-grade, food-safe stainless steel pan that guarantees hygiene, corrosion resistance, and effortless cleaning.



ROBUST & STABLE BASE

Features a rigid, enclosed structural frame that minimizes operational vibration and ensures long-term durability under heavy production loads.



VERSATILE APPLICATION

Perfect for coating a diverse range of products, including peanuts, makhana (foxnuts), chips, namkeen, dry fruits, popcorn, and various fried or baked snacks.



ERGONOMIC DESIGN

The wide front-opening mouth allows for quick and seamless loading of raw materials and hassle-free discharging of the finished product.



HYGIENIC
& FOOD
SAFE

IDEAL FOR A WIDE RANGE OF SNACKS



POTATO CHIPS



NAMKEEN



BANANA CHIPS



MAKHANA



PEANUTS



POPCORN

HOW IT WORKS



1. LOADING

Load the snack into the coating pan.



2. COATING

The rotating pan evenly tumbles the product while masala is added.



3. MIXING

Continuous rotation ensures uniform coating every piece.



4. DISCHARGE

Finished, perfectly coated product is discharged.

PERFECT COATING, EVERY TIME

The unique design of our coating pan minimizes masala wastage and ensures every piece is coated to perfection, enhancing taste, appearance, and customer satisfaction.



BEFORE COATING



AFTER COATING

TECHNICAL SPECIFICATIONS

Drum Size	18 x 18 inch
Drum Material (Contact Part)	Stainless Steel 304
Body Material	Mild Steel (Painted)
Motor Power	1/2 HP
Drive Type	Gear Box Drive
Speed	25 - 30 RPM (Approx.)
Capacity	20 - 30 kg/batch (Approx.)
Application	Chips, Namkeen, Peanuts, Makhana, Dry Fruits, Popcorn & more
Power Supply	220V / 50Hz / 1 Phase



HYGIENIC
DESIGN



LOW
MAINTENANCE



ENERGY
EFFICIENT



LONG
SERVICE LIFE



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



HYDRO MACHINE FOR OIL EXTRACTION (DE-OILING)

MORE CRUNCH. LESS OIL. BETTER QUALITY.

EFFICIENT OIL EXTRACTION | SUPERIOR HYGIENE | MAXIMUM PRODUCTIVITY



FOOD GRADE
STAINLESS STEEL



EFFICIENT
OIL EXTRACTION



HIGH CAPACITY
PERFORMANCE



EASY TO CLEAN
& MAINTAIN



DURABLE &
LONG LASTING

Our Hydro Machine (De-Oiling Machine) is specially designed to remove excess oil from fried snacks and food products quickly and efficiently. The high-speed spinning basket extracts oil through centrifugal force, keeping your products lighter, crispier, and healthier.

KEY FEATURES



PREMIUM STAINLESS STEEL BUILD
Features a high-grade stainless steel outer body and a finely perforated inner basket that ensures 100% food safety, rust resistance, and easy cleaning.



HIGH EFFICIENCY OIL EXTRACTION
High-speed centrifugal action removes excess oil effectively, improving shelf life and reducing oil content.



ROBUST & STABLE PERFORMANCE
Heavy-duty motor and strong base ensure vibration-free operation and long machine life.



PERFORATED INNER DRUM
Precision-engineered perforated basket allows maximum oil to drain out while retaining even small-sized products.



EASY TO OPERATE
Simple operation with a secure lid lock and balanced design for smooth functioning.



EASY TO CLEAN & MAINTAIN
All contact parts are made of stainless steel for quick cleaning, ensuring hygiene and safety.



MULTI-SIZE OPTIONS
Available in 10 Ltr., 20 Ltr., 30 Ltr., 50 Ltr. and more to meet different production needs.



AVAILABLE DRUM SIZE

10 LTR.
20 LTR.
30 LTR.
50 LTR.
& MORE



HEALTHIER
PRODUCTS,
HAPPIER
CUSTOMERS

IDEAL FOR



POTATO CHIPS



NAMKEEN



BANANA CHIPS



FRYUMS



KURKURE



OTHER FRIED SNACKS

TECHNICAL SPECIFICATIONS

Model	10 LTR.	20 LTR.	30 LTR.	50 LTR.	& MORE	CUSTOM
Drum Capacity	10 Liter	20 Liter	30 Liter	50 Liter		Custom
Drum Material (Contact Part)	Stainless Steel 304					
Body Material	Mild Steel (Painted)					
Basket Type	Perforated Stainless Steel Basket					
Motor	High Speed Efficient Motor					
Operation	Hydro / Centrifugal					
Power Supply	220V / 50Hz / 1 Phase					
Application	Chips, Namkeen, Fryums, Banana Chips, Kuskure, Other Fried Snacks					

HOW IT WORKS




1 LOADING
Load the fried product into the perforated basket.



2 SPINNING
The basket spins at high speed to separate oil from the product.



3 OIL EXTRACTION
Centrifugal force removes excess oil and drains it out through the basket.



4 FINISHED PRODUCT
Get lighter, crispier and healthier products with less oil content.



HYGIENIC
DESIGN



RUST
RESISTANT



LOW
MAINTENANCE



ENERGY
EFFICIENT



LONG
SERVICE LIFE



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



MULTI PURPOSE CUTTING MACHINE

FAST CUTTING. PERFECT RESULTS.

PRECISE CUTTING • HIGH EFFICIENCY • MAXIMUM PRODUCTIVITY



POWERFUL
1HP MOTOR



HIGH
EFFICIENCY



STAINLESS STEEL
BLADES



EASY TO USE
& CLEAN



DURABLE &
RELIABLE



Our Multi Purpose Cutting Machine is designed to handle a wide variety of vegetables with speed, accuracy and ease. Ideal for restaurants, catering services, hotels and food processing units.

KEY FEATURES



POWERFUL PERFORMANCE

Equipped with 1HP single phase motor for smooth and efficient operation.



HIGH CAPACITY

Cuts 50 to 100 kg of vegetables per hour, saving time and labor.



7 INTERCHANGEABLE BLADES

Comes with 7 stainless steel blades of different shapes and sizes for various cutting needs.



PREMIUM QUALITY BLADES

All blades are made of high-grade stainless steel for long life, sharp cutting and rust resistance.



USER FRIENDLY DESIGN

Ergonomic lever and feed system for safe and easy operation.



EASY TO CLEAN

Simple structure for quick disassembly and effortless cleaning.



HEALTHIER
PRODUCTS,
HAPPIER
CUSTOMERS

SPECIFICATIONS

Motor Power	1 HP	Blade Material	Stainless Steel
Power Supply	220V / 50Hz / 1 Phase	Body Material	MS (Painted)
Capacity	50 - 100 kg. per/hr.	Operation	Semi Automatic
No. of Blades	7 (Interchangeable)	Application	All Vegetables
		Weight (Approx.)	60 - 70 kg.

7 INTERCHANGEABLE STAINLESS STEEL BLADES




FINGER CUTTING
For Finger Chips
and Julienne




SLICING BLADE
For Thin & Thick
Slice



LACHHA BLADE
For Lachha /
Julienne Cut



DICING BLADE
(SQUARE)
For Square Cut



STRIP CUTTING
For Strip Cut




WAVY SLICING
For Wavy Slice




V CUTTING
For V Shape Cut

IDEAL FOR VARIOUS CUTS



POTATO SLICES



POTATO FINGER CHIPS




CARROT LACHHA




ONION SLICES



CUCUMBER SLICES



CABBAGE SHREDS



BEETROOT SLICES

HOW IT WORKS



1. LOAD
Put vegetables into
the feeding chute.



2. PUSH
Use the lever or plunger
to push vegetables
towards the blade.



3. CUTTING
High speed blade cuts
vegetables into desired
shapes.



4. OUTPUT
Uniform pieces come out
from the side discharge
chute.

BUILT FOR PERFORMANCE



Strong & Compact Body for long term durability



High Speed Cutting for maximum productivity



Safe & Easy Operation with lever & pusher



Suitable for Restaurants, Hotels, Catering
and Food Processing Units



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



STAINLESS STEEL GAS BURNER BHATTI

POWERFUL FLAME - HIGH EFFICIENCY - BUILT TO LAST

Ideal for Commercial Kitchens, Restaurants,
Catering Services & Food Industries



POWERFUL
FLAME



PREMIUM
STAINLESS STEEL



EASY TO
CLEAN



DURABLE &
LONG LASTING



Crafted with premium materials and precision engineering, our Gas Burner Bhatti delivers unmatched performance, durability and safety for all your cooking needs.

KEY FEATURES



HIGH EFFICIENCY BRASS BURNERS
Designed for powerful and uniform flame for faster cooking.



PREMIUM QUALITY STAINLESS STEEL
Rust resistant, food grade stainless steel for long life and hygiene.



HEAVY DUTY CONSTRUCTION
Strong and sturdy body for long lasting performance in tough conditions.



ERGONOMIC CONTROL KNOBS
Smooth flame control for perfect cooking results.



EASY TO CLEAN & MAINTAIN
Smooth surfaces and open design for quick cleaning.



SUITABLE FOR ALL COOKING
Ideal for Stir Fry, Boil, Saute and all types of cooking.



SPECIFICATIONS

Motor Power	1 HP	Blade Material	Stainless Steel
Power Supply	220V / 50Hz / 1 Phase	Body Material	MS (Painted)
Capacity	50 - 100 kg. per/hr.	Operation	Semi Automatic
No. of Blades	7 (Interchangeable)	Application	All Vegetables
		Weight (Approx.)	60 - 70 kg.

AVAILABLE MODELS & SIZES

SINGLE BURNER BHATTI



Size: 600 x 600 x 800 mm

DOUBLE BURNER BHATTI



Size: 1200 x 600 x 800 mm

TRIPLE BURNER BHATTI



Size: 1800 x 600 x 800 mm

TECHNICAL SPECIFICATIONS (APPROX.)

MODEL	SINGLE	DOUBLE	TRIPLE
Dimensions (L x W x H)	600 x 600 x 800 mm	1200 x 600 x 800 mm	1800 x 600 x 800 mm
Burners	1	2	3
Burner Type	High Efficiency Brass Burner		
Gas Type	LPG / PNG		
Gas Consumption (Approx.)	0.45 kg/hr	0.90 kg/hr	1.35 kg/hr
Knobs	Ergonomic Flame Control Knobs		
Body Material	Stainless Steel (Food Grade)		
Frame	Stainless Steel Pipe		
Ignition Type	Manual		
Application	Commercial Kitchen, Restaurant, Catering, Hotels, Food Industry		

IDEAL FOR COOKING



STIR FRY



BOILING



CURRY



SAUTEING



NOODLES



SOUPS

BUILT FOR PROFESSIONALS



Strong & Durable Construction



Corrosion Resistant
Stainless Steel



High Heat Output for
Faster Cooking



Easy to Clean
& Maintain



Perfect for Commercial
& Industrial Use



HIGH HEAT
OUTPUT



FUEL
EFFICIENT



RUST & CORROSION
RESISTANT



EASY
MAINTENANCE



SAFETY
ASSURED



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



VACUUM PACKING MACHINE

SMART PACKAGING FOR LONGER FRESHNESS

STRONG VACUUM • RELIABLE SEALING • MAXIMUM SHELF LIFE



STRONG
VACUUM



EFFICIENT
SEALING



FOOD
GRADE



EASY
TO USE



Our Vacuum Packing Machine is designed to extend the shelf life of your products by removing air and sealing freshness in. Perfect for food, dry fruits, spices, powders, herbs, and more.

KEY FEATURES



POWERFUL VACUUM PUMP

For maximum air removal



STRONG & WIDE SEALING

For leak-proof and secure packing



DIGITAL CONTROL PANEL

For easy and precise operation



STAINLESS STEEL BODY

Durable, rust-resistant & hygienic



TRANSPARENT LID

For better visibility



ADJUSTABLE SEALING TIME

For different pouch thickness



LOW NOISE, HIGH EFFICIENCY

Smooth operation with less noise



SUITABLE FOR VARIOUS POUCH SIZES

Works with multiple pouch types & materials



IDEAL FOR COMMERCIAL & INDUSTRIAL USE



LONGER SHELF LIFE

Keeps products fresh for longer



PRESERVES QUALITY

Retains taste, aroma & nutrition



REDUCES WASTAGE

Prevents spoilage & contamination



TECHNICAL SPECIFICATIONS (TYPICAL)

Model	Table Top Vacuum Packing Machine	Cycle Time	30 – 40 Sec.
Power Supply	220V / 50Hz / 1 Phase	Chamber Size	330 x 270 x 100 mm (Approx.)
Vacuum Power	0.04 – 0.08 MPa	Machine Size	450 x 370 x 560 mm (Approx.)
Sealing Length	260 – 320 mm (Approx.)	Weight	35 – 45 kg. (Approx.)
Sealing Width	8 – 10 mm	Body Material	Stainless Steel
Pump Capacity	10 – 20 m ³ /h (Approx.)	Lid Type	Transparent Acrylic Lid

IDEAL FOR PACKAGING



DRY FRUITS



SPICES



PULSES & GRAINS



POWDERS



TEA & COFFEE



SNACKS

- Dry Fruits
- Spices
- Pulses & Grains
- Powders
- Tea & Coffee
- Snacks
- Pharmaceuticals
- And Many More

HOW IT WORKS



- 1 Place the product in the pouch and position it in the chamber.



- 2 Close the lid securely.



- 3 Machine removes air and seals the pouch automatically.



- 4 Get perfectly sealed pouch with extended shelf life.

SUITABLE POUCH TYPES



EMBOSSED VACUUM POUCH



PLAIN VACUUM POUCH

WHY CHOOSE OUR VACUUM PACKING MACHINE?



Extends shelf life up to 3-5 times



Keeps product fresh & hygienic



Protects from moisture, dust, insects & bacteria



Maintains product quality and brand value



Ideal for commercial & industrial use



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



STAINLESS STEEL STORAGE TANK

HYGIENIC STORAGE SOLUTION FOR LIQUIDS & PASTES

DURABLE • HYGIENIC • CORROSION RESISTANT • EASY TO CLEAN



MADE OF
SS 304



HYGIENIC
DESIGN



FOOD
GRADE

Our Stainless Steel Storage Tank is designed for safe and hygienic storage of liquids, juices, oils, chemicals, and more. Made from premium quality SS 304, it ensures long-lasting performance and complete corrosion resistance.

KEY FEATURES



MADE OF HIGH QUALITY SS 304
Food grade stainless steel for durability and hygiene.



FOOD GRADE & HYGIENIC CONSTRUCTION
Ensures safe and hygienic storage of liquid & semi-liquid products.



CORROSION & RUST RESISTANT
Withstands harsh environments and extends product life.



STURDY STRUCTURE
Strong support legs for stability and safe operation.



SIDE INLET FOR FILLING
Convenient side inlet for easy and clean filling.



BOTTOM OUTLET FOR DISCHARGE
Smooth and complete discharge of stored material.



AVAILABLE IN MULTIPLE CAPACITIES
From small to large sizes to meet your storage needs.



EASY TO CLEAN & MAINTAIN
Polished finish and seamless design for easy cleaning.



SUITABLE FOR VARIOUS LIQUID & SEMI LIQUID PRODUCTS
Ideal for multiple industries and applications.



LONGER SHELF LIFE
Keeps products fresh for longer



PRESERVES QUALITY
Retains taste, aroma & nutrition



REDUCES WASTAGE
Prevents spoilage & contamination



HYGIENIC STORAGE
Safe storage for liquids & pastes



SIDE INLET

For easy filling of liquid or paste from filling machine

BOTTOM OUTLET

For smooth & complete discharge of stored material

TECHNICAL SPECIFICATIONS

Material	Stainless Steel 304 (Food Grade)	Sizes Available	50 Ltr., 100 Ltr., 200 Ltr., 300 Ltr., 500 Ltr., 1000 Ltr., 2000 Ltr. & More
Finish	Mirror / Matt Finish	Applications	Liquid, Juice, Oil, Milk, Chemical, Pharma, Food & Beverages
Construction	Seamless TIG Welded	Customization	Available as per Requirement
Inlet	Side Inlet with Valve / Connection		
Outlet	Bottom Outlet with Valve		
Support	Heavy Duty Stainless Steel Legs		

AVAILABLE SIZES



TANK APPLICATIONS



Juices & Beverages



Oils & Edible Liquids



Milk & Dairy Products



Chemicals & Liquid Detergents



Pharmaceutical Liquids



Food Processing Industry

HOW IT WORKS



SUITABLE POUCH TYPES



EMBOSSED VACUUM POUCH



PLAIN VACUUM POUCH

BUILT TO LAST

- Strong & Durable Construction
- Long Life & Low Maintenance
- Suitable for Continuous Use
- Hygienic & Safe Storage
- Custom Sizes Available



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar, nangloi
new delhi - 110086



COLLOIDAL MILL MACHINE

MADE FROM
PREMIUM QUALITY
STAINLESS STEEL
304

FINEST GRINDING, PERFECT PASTE

Our Colloidal Mill Machine is designed for ultra-fine grinding, emulsifying and homogenizing of wet materials. It is ideal for food, pharmaceutical, chemical and cosmetic industries to produce smooth, uniform and stable pastes and emulsions.

KEY FEATURES

- Made from Food Grade Stainless Steel 304
- High Efficiency Motor (1 Phase & 3 Phase Options)
- Ultra Fine Grinding – Particle Size: 3–5 Micron
- High Shear, High Speed for Superior Results
- Corrosion Resistant & Easy to Clean
- Low Noise, Low Vibration Operation
- Hygienic Design & Long Working Life
- Easy Installation & Maintenance

AVAILABLE POWER OPTIONS

3 HP
5 HP
10 HP

SINGLE PHASE
& THREE PHASE
BOTH AVAILABLE



- MADE OF SS 304
- HYGIENIC DESIGN
- FOOD GRADE
- EASY TO CLEAN

HOW IT WORKS

The material is fed into the mill via a conical hopper. It passes through a highly precise, adjustable gap between a rapidly rotating Stator and a fixed Rotor. As the material is driven through this microscopic gap, it is subjected to massive forces: intense hydraulic shear, high-frequency friction, centrifugal force, and violent turbulence. The result is instant particle size reduction down to the micro-level.



Rotor & Stator
High precision machining ensures consistent particle size reduction and superior output.

IDEAL FOR GRINDING & PASTES



TOMATO PASTE



GARLIC PASTE



CHILLI PASTE



PEANUT BUTTER



SESAME PASTE (TAHINI)



HERBAL & AYURVEDIC PASTE



COSMETIC & PHARMACEUTICAL PASTE

TECHNICAL SPECIFICATIONS

PARAMETER	3 HP	5 HP	10 HP
Motor Power	3 HP	5 HP	10 HP
Power Supply	220V / 50Hz (1 Phase) 380V / 50Hz (3 Phase)	220V / 50Hz (1 Phase) 380V / 50Hz (3 Phase)	220V / 50Hz (1 Phase) 380V / 50Hz (3 Phase)
Material	Stainless Steel 304	Stainless Steel 304	Stainless Steel 304
Grinding Capacity (Approx.)	20 – 50 Kg/Hr	50 – 80 Kg/Hr	80 – 150 Kg/Hr
Particle Size (Micron)	3 – 5 Micron	3 – 5 Micron	3 – 5 Micron
Speed	2880 RPM	2880 RPM	2880 RPM
Hopper Capacity	5 Liters	10 Liters	15 Liters
Cooling System	Water Cooling	Water Cooling	Water Cooling
Dimensions (L x W x H)	600 x 300 x 700 mm	700 x 400 x 850 mm	800 x 450 x 950 mm
Weight (Approx.)	45 Kg	70 Kg	110 Kg

ADVANTAGES

- Produces ultra-fine, smooth and uniform paste
- Improves product texture, taste & quality
- High productivity with low power consumption
- Hygienic and easy to operate
- Suitable for continuous operation
- Long service life with minimal maintenance
- Widely used across multiple industries

INDUSTRIES WE SERVE



FOOD & BEVERAGE



PHARMACEUTICAL



COSMETICS



CHEMICAL



AYURVEDIC & HERBAL



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



HANDHELD INKJET PRINTER

SMART CODING - PORTABLE - PROFESSIONAL

Our Handheld Inkjet Printer is a compact, portable and easy-to-use coding solution for printing on a wide range of surfaces. It is ideal for printing MRP, Batch No., Manufacturing Date, Expiry Date, Barcode, QR Code, Logo, Text, Serial Number and more with high-resolution precision.



- 4.3 INCH TOUCH SCREEN
- CLEAR & SHARP PRINTING
- LONG LASTING BATTERY
- LIGHTWEIGHT & PORTABLE

PORTABLE & LIGHTWEIGHT

TOUCH SCREEN DISPLAY

HIGH RESOLUTION PRINTING

FAST & EFFICIENT OPERATION

PRINTS ON MULTIPLE SURFACES

CARTON

PLASTIC

METAL

GLASS

PRINT ANYTHING YOU NEED

MRP: ₹ 250.00
(Incl. of all taxes)

MRP PRINTING

BATCH NO.: RGV12345

BATCH NUMBER

MFD: 20/05/2024
EXP: 19/05/2026

MFG & EXP DATE

1001234567890

BARCODE

QR CODE

RAGHAV
FOOD MACHINERY
COMPANY

LOGO & TEXT

IDEAL FOR VARIOUS INDUSTRIES

FOOD & BEVERAGES

PHARMACEUTICALS

COSMETICS

CHEMICALS

ELECTRONICS

AGRICULTURE

TECHNICAL SPECIFICATIONS

Parameter	Handheld Inkjet Printer
Printing Technology	Thermal Inkjet Technology
Display	4.3 Inch Touch Screen
Print Height	1mm - 12.7mm (Adjustable)
Printing Resolution	300 DPI (High Resolution)
Printing Distance	2mm - 5mm from Surface
Printing Speed	Up to 60 m/min
Ink Type	Quick Dry Solvent Based Ink
Ink Colors	Black, White, Red, Blue, Yellow
Battery	2600mAh Rechargeable Lithium Battery
Charging Time	3 - 4 Hours
Working Time	Up to 8 - 10 Hours
Memory	Built-in Memory (Supports Multiple Files)
Interface	USB, Photo Sensor, External Trigger
Operating Temperature	5°C - 45°C
Weight	Approx. 480g

PRINT ON REAL PRODUCTS

AVAILABLE POWER OPTIONS

3 HP

5 HP

10 HP

SINGLE PHASE & THREE PHASE BOTH AVAILABLE



KEY FEATURES

- 4.3 inch High Resolution Touch Screen
 - Print Height: 1mm - 12.7mm
 - Printing Distance: 2mm - 5mm
 - Supports Multiple Languages
 - Supports Text, Number, Logo, Barcode, QR Code, Date, Time, Shift Code
 - Built-in High Speed Processor
 - Quick Dry Ink - Smudge Proof
 - Rechargeable Lithium Battery
 - External Sensor Supported
 - Up to 10,000 Prints per Charge
- EASY TO USE
- COST EFFECTIVE
- LOW MAINTENANCE
- HIGH EFFICIENCY



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



DEEP FRYER

ELECTRIC | STAND MODEL

SAFE - EFFICIENT - DURABLE - PROFESSIONAL

Electric deep fryers use heating elements powered by electricity to bring oil up to frying temperature. Frying is a cooking technique whereby heat is transferred to a food item from the hot oil that surrounds it. People have been frying food in oil for centuries, not least because frying oil transfers heat much faster than air in baking or water in boiling.



STAINLESS STEEL
CONSTRUCTION



FAST & EFFICIENT
HEATING



PRECISE TEMP.
CONTROL



EASY TO CLEAN
& MAINTAIN



ENERGY SAVING
DESIGN



KEY FEATURES

- ✓ Made of Fully Stainless Steel 304
- ✓ High Efficiency Heating Elements
- ✓ Adjustable Temperature Controller
- ✓ Safe, Reliable & Easy to Operate
- ✓ Oil Drain Valve for Easy Cleaning
- ✓ Sturdy Stand with Storage Shelf
- ✓ Suitable for Commercial Use

FRYING IN ACTION



AVAILABLE SIZES

CAPACITY (LTR.)	RECOMMENDED USE
5 LTR.	Small Cafes, Home Use
10 LTR.	Cafes, Fast Food Outlets
20 LTR.	Restaurants, Snack Bars
30 LTR.	Hotels, Commercial Kitchens
50 LTR.	Large Restaurants, Catering
100 LTR.	Industrial & Bulk Frying

PERFECT FOR FRYING



POTATO CHIPS



BANANA CHIPS



FRENCH FRIES



VEG FINGERS



CHICKEN NUGGETS



SPRING ROLLS

TECHNICAL SPECIFICATIONS

Material	Stainless Steel 304
Capacity	5 Ltr. / 10 Ltr. / 20 Ltr. / 30 Ltr. / 50 Ltr. / 100 Ltr.
Type	Electric Deep Fryer (Stand Model)
Heating Source	Electric (Heating Elements)
Temperature Range	50°C - 200°C (Adjustable)
Temperature Control	Adjustable Thermostat
Power Supply	220V / 380V (Single / Three Phase)
Stand	Heavy Duty SS Stand with Storage Shelf
Drain Valve	Yes, for Easy Oil Drainage

WHY CHOOSE OUR DEEP FRYER?

- ✓ Fast & Efficient Heating
- ✓ Precise Temperature Control
- ✓ Durable & Corrosion Resistant
- ✓ Easy to Clean & Maintain
- ✓ Saves Time, Labor & Energy
- ✓ Ideal for Commercial & Industrial Use



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



F.F.S. POUCH PACKING MACHINE

HIGH PERFORMANCE • ACCURACY • RELIABILITY

EFFICIENT
SPEED
24-30
POUCHES
PER / MINUTE

Our FFS Pouch Packing Machine is designed for automatic packing of a wide range of products like Spices, Tea, Pulses, Grains, Sugar, Salt, Poha and many more. It ensures precise weighing, fast packing, strong sealing and long lasting performance.

KEY FEATURES


- Pouch Sizes: 5g, 10g, 15g, 50g, 100g & 1000g
- Stainless Steel Hopper with Teflon Cup
- 1/2 HP Motor with Gear Box
- Strong & Durable Body Structure
- Digital Temperature Controller
- High Speed Sealing: 24 - 30 Pouches Per Minute
- User Friendly Operation
- Low Power Consumption
- Suitable for Granules, Powder, Tea, Pulses & More

POUCH SIZE OPTIONS



IDEAL FOR PACKING

- Spices
- Tea
- Pulses
- Grains
- Sugar
- Salt
- Poha
- Seeds
- Snack Foods
- And Many More



SS HOPPER
WITH TEFLON CUP

SUITABLE FOR VARIOUS PRODUCTS



SPICES



TEA



PULSES



GRAINS



SUGAR



SALT



POHA

SAMPLE POUCHES



TECHNICAL SPECIFICATIONS

Machine Type	: FFS Pouch Packing Machine
Pouch Size	: 5g, 10g, 15g, 50g, 100g, 1000g
Hopper	: Stainless Steel
Filling System	: Teflon Cup Filler
Motor Power	: 1/2 HP Motor with Gear Box
Sealing Speed	: 24 - 30 Pouches Per Minute
Power Supply	: 230V / 50Hz (1 Phase)
Body Material	: Mild Steel
Temperature Control	: Digital PID Controller
Weight	: Approx. 150 - 180 Kg
Machine Dimension	: (L) 600 x (W) 750 x (H) 1650 mm (Approx.)

HOW IT WORKS




1 FILM ROLL
UNWINDING



2 POUCH
FORMING



3 PRODUCT
FILLING



4 SEALING



5 CUTTING &
FINISHED POUCH



CALL US
8796463055



EMAIL US
raghavfoodmachines@gmail.com



ADDRESS
Pratap vihar , nangloi
new delhi - 110086



BLOWER CYCLONE PULVERIZER MACHINE

HIGH PERFORMANCE | FINE GRINDING | DURABLE

Made of Fully Stainless Steel 304

IDEAL FOR
HERBS &
SPICES



OVERVIEW

Our Blower Cyclone Pulverizer Machine is designed for superfine grinding of a wide range of dry herbs, spices, and other food ingredients. Equipped with a high speed blower and cyclone separator, it ensures uniform particle size, high output, and minimal heat generation. Constructed from premium quality Stainless Steel 304 for hygiene, durability and long life.




Made of
SS 304



Cyclone
Separation
System



High Speed
Blower for
Fine Grinding



Uniform Particle
Size



Suitable for
Herbs & Spices



Low Maintenance
& Easy to Clean

AVAILABLE SIZES (BY MOTOR POWER)

3
HP

5
HP

10
HP

15
HP

20
HP

30
HP

&
MORE

SUITABLE FOR GRINDING



RED CHILLI



CORIANDER



TURMERIC



HERBS



SPICES



DRY INGREDIENTS

TECHNICAL SPECIFICATIONS

Machine Type	Blower Cyclone Pulverizer Machine
Material	Stainless Steel 304 (Food Grade)
Construction	Heavy Duty & Corrosion Resistant
Motor Power	3 HP / 5 HP / 10 HP / 15 HP / 20 HP / 30 HP & More
Capacity	Depends on Material & Mesh Size
Grinding Type	Impact + Blower System
Cyclone Separator	High Efficiency Cyclone
Particle Size	60 Mesh to 300 Mesh (Approx.)
Application	Herbs, Spices, Grains, Dry Roots, Tea, Seeds & More

SALIENT FEATURES

- ✓ High Speed Blower for Superior Output
- ✓ Cyclone Separation for Fine Collection
- ✓ Low Heat Generation - Preserves Aroma & Flavour
- ✓ Multi-Purpose - Wide Range of Applications
- ✓ Easy Dismantling & Cleaning
- ✓ Rust Proof - Long Lasting Performance
- ✓ Available in Multiple Power Options

APPLICATIONS

- ✓ Spice Processing Units
- ✓ Herbal & Ayurvedic Industries
- ✓ Food & Beverage Industry
- ✓ Pharmaceutical Companies
- ✓ Chemical & Powder Industries
- ✓ Laboratories & Research Centers

CALL US
8796463055

EMAIL US
raghavfoodmachines@gmail.com

ADDRESS
Pratap vihar , nangloi
New delhi - 110086